

Stamford


Waterbody + Tributary 100ft Buffer

14 acres
(Base Land Cover Shown)



High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover


Impervious Surfaces (0 acres - 0% of total)
(Bottom-Up**)

No Impervious Land Cover Mapped in this Area


Agriculture (0 acres - 0% of total)

No Agricultural Land Cover Mapped in this Area

Wetlands (5.22 acres - 37.3% of total)



Tree Canopy (8.65 acres - 61.8% of total)



External Data Sources: UWM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset

*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UWM SAL High-Resolution Land Cover 2015 Report for more detail.


Stamford

Waterbody 250ft Buffer
20 acres
(Base Land Cover Shown)



High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover


Impervious Surfaces (0 acres - 0% of total)
(Bottom-Up**)

No Impervious Land Cover Mapped in this Area


Agriculture (0 acres - 0% of total)

No Agricultural Land Cover Mapped in this Area

Wetlands (4.82 acres - 24.1% of total)




Tree Canopy (16.17 acres - 80.9% of total)



Stamford


Tributary 100ft Buffer

7 acres
(Base Land Cover Shown)



High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover


Impervious Surfaces (0 acres - 0 % of total)
(Bottom-Up**)

No Impervious Land Cover Mapped in this Area


Agriculture (0 acres - 0 % of total)

No Agricultural Land Cover Mapped in this Area

Wetlands (3.46 acres - 49.4 % of total)



Tree Canopy (2.84 acres - 40.6 % of total)




*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
 **Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
 See UWM SAL High-Resolution Land Cover 2015 Report for more detail.

Stamford


Waterbody 100ft Buffer

8 acres
(Base Land Cover Shown)



High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover


Impervious Surfaces (0 acres - 0 % of total)
(Bottom-Up**)

No Impervious Land Cover Mapped in this Area


Agriculture (0 acres - 0 % of total)

No Agricultural Land Cover Mapped in this Area

Wetlands (2.44 acres - 30.5 % of total)




Tree Canopy (6.2 acres - 77.5 % of total)




Stamford

Watershed
239 acres
(Base Land Cover Shown)



High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)



Supplemental Land Cover


Impervious Surfaces (0 acres - 0 % of total)
(Bottom-Up**)

No Impervious Land Cover Mapped in this Area

Agriculture (0 acres - 0 % of total)

No Agricultural Land Cover Mapped in this Area

Wetlands (8.03 acres - 3.4 % of total)



Tree Canopy (233 acres - 97.5 % of total)

